THERMAL-GRADIENT/HEAT FLOW REFERENCES

Allis, R., Moore, J., Blackett, B., Gwynn, M., Kirby, S., and Sprinkel, D., 2011, The potential for basin-centered geothermal resources in the Great Basin: Geothermal Resources Council Transactions, v. 35, p. 683 - 688.

Amax Exploration Inc., 1998, temperature-gradient data for southwestern Utah obtained by Amax during the late 1970s and early 1980s: Salt Lake City, Utah, Energy and Geoscience Institute unpublished data.

Bauer, M.S., and Chapman, D.S., 1986, Thermal regime at the Upper Stillwater dam site, Uinta Mountains, Utah — Implications for terrain, microclimate and structural corrections in heat flow studies: Tectonophysics, v. 128, Issues 1-2, p. 1-20.

http://www.sciencedirect.com/science/article/pii/0040195186903057

Blackett, R.E., 2007, Temperature-depth monitoring in the Newcastle geothermal system: Utah Geological Survey Report of Investigation 258, 12 p., 6 appendices. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-258.pdf

Blackett, R.E., Jordan, J.L.J., Thomas, K., Wallace, J., and Biek, R.F., 2009, A concealed geothermal system near Corner Canyon, Salt Lake County, Utah: Utah Geological Association Publication 38, p. 235-249.

Blackett, R.E., 2011, Temperature profiles of water monitoring wells in Snake Valley, Tule Valley, and Fish Springs Flat, Millard and Juab Counties, Utah: Utah Geological Survey Open-File Report 578, 13 p., appendix. http://ugspub.nr.utah.gov/publications/open_file_reports/OFR-578.pdf

Blackett, R.E., Shubat, M.A., Bishop, C.E., Chapman, D.S., Forster, C.B., and Schlinger, C.M., 1990, The Newcastle geothermal system, Iron County, Utah: Utah Geological Survey Open-File Report 189, 179 p. 3 plates. http://www.osti.gov/geothermal/servlets/purl/6931402-obejeG/native/6931402.pdf

Blackett, R.E., Ross, H.P., and Forster, C.B., 1997, Effect of geothermal drawdown on sustainable development, Newcastle area, Iron County, Utah: Utah Geological Survey Circular 97, 25 p., appendix. http://ugspub.nr.utah.gov/publications/circular/C-97.pdf

Blackwell, D.D., Steele, J.L., and Carter, L.C., 1989, Heat flow data base for the United States, in Hittleman, A.M., Kinsfather, J.O., and Meyers, H., editors, Geophysics of North America CD-ROM, Boulder, Colorado, National Oceanographic and Atmospheric Administration, National Geophysical Data Center.

Blair, K.C., and Owen, L.B., 1981, Evaluation of the production potential of the Crystal Hot Spring geothermal resource, north central Utah: Geothermal Resources Council, Transactions, v. 5, p. 319-323.

Bodell, J.M., and Chapman, D.S., 1982, Heat flow in the north-central Colorado Plateau: Journal of Geophysical Research, v. 87, no. B4, p. 2869 - 2884.

http://www.agu.org/pubs/crossref/1982/JB087iB04p02869.shtml

Bryant, N.L., and Parry, W.T., 1977, Hydrothermal al-teration at Roosevelt Hot Springs KGRA - DDH 1976-1: University of Utah, Department of Geology and Geophysics Technical Report, v. 77-5, 87 p.

Budding, K.E., and Sommer, S.N., 1986, Low-temperature geothermal assessment of the Santa Clara and Virgin River Valleys, Washington County, Utah: Utah Geological and Mineral Survey Special Study 67, 34 p. http://ugspub.nr.utah.gov/publications/special studies/SS-67.pdf

Carrier, D.L., and Chapman, D.S., 1981, Gravity and thermal models for the Twin Peaks silicic volcanic center, southwestern Utah, Journal of Geophysical Research, 86, 10287-10302.

Chapman, D.S., Blackwell, D.D., Parry, W.T., Sill, W.R., Ward, S.H., and Whelan, J.A., 1978, Regional heat flow and geochemical studies in southwest Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 2, contract 14-08-0001 -G-341, 118 p.

http://ugspub.nr.utah.gov/publications/geothermal/ChapmanEtAl1978Vol2.pdf

Chapman, D.S., Clement, M.D., and Mase, C.W., 1981, Thermal regime of the Escalante Desert, Utah, with an analysis of the Newcastle geothermal system: Journal of Geophysical Research, v. 86, no. B12, p. 11,735-11,746. http://www.agu.org/pubs/crossref/1981/JB086iB12p11735.shtml

Clement, M. D., and Chapman D. S., 1981, Heat flow and geothermal assessment of the Escalante Desert, southwestern Utah, with emphasis on the Newcastle KGRA: U. S. Department of Energy Report DOE/ID/12079-28, 118 p. http://www.osti.gov/geothermal/servlets/purl/6150551-y07QBX/native/6150551.pdf

Costain, J. K., and Wright, P. M., 1973, Heat flow at Spor Mountain, Jordan Valley, Bingham, and La Sal, Utah: Journal of Geophysical Research, v. 78, p. 8687-8698.

http://rglsun1.geol.vt.edu/NGDS/VT/Costain Wright 1969 HeatFlowInBoreholes.pdf

Davis, M.C., and Kolesar, P.T., 1984, Evaluation of low-temperature geothermal potential in north-central Box Elder County: Utah Geological and Mineral Survey Report of Investigation 192, 92 p., 7 pts. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-192.pdf

de Vries, J.L., 1982, Evaluation of low-temperature geothermal potential in Cache Valley, Utah: Utah Geological and Mineral Survey Report of Investigation 174, 96 p., 1 pt. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-174.pdf

Faulder, D.D., 1994, Long Term flow test #1, Roosevelt Hot Springs, Utah: Davis, California, Geothermal Resources Council Transactions, v. 18, p. 583-590.

GeoThermal Services, Inc., 1976, Hunt Energy Corporation Newcastle Prospect, Utah: San Diego, California, unpublished report prepared for Hunt Energy Corporation, AFE No. 7416, Job No. 2-76, unpagenated.

Glenn, W.E., Chapman, D.S., Foley, D., Capuano, R.M., Sibbett, B.S., Cole, D.R., and Ward, S.H., 1980, Geothermal exploration at Hill Air Force Base, Ogden, Utah: Earth Science Laboratory/University of Utah

Research Institute Report DOE/ET/28392-42, 89 p. http://www.osti.gov/geothermal/servlets/purl/5231737-vywZqR/native/5231737.pdf

Glenn, W.E., and Ross, H.P., 1982, A study of well logs from Cove Fort-Sulphurdale KGRA, Millard and Beaver Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/ 1 2079-62, 39 p. http://www.osti.gov/geothermal/servlets/purl/5349147-leEEH5/native/5349147.pdf

Helton Engineering and Geological Ser-vices, Incorporated, 1978, Geothermal Power Corporation well 15, section 18, township 27 south, range 9 west, Beaver County, Utah: Earth Science Labo-ratory/University of Utah Research Institute Open-File Report UT/RHS/GPC-3, unpaginated.

Henrikson, Andrew, 2000, New heat flow determinations from oil and gas wells in the Colorado Plateau and Basin and Range of Utah: University of Utah, Department of Geology and Geophysics Masters Thesis, 70 p.

Huttrer, G.W., 1992, Geothermal exploration at Cove Fort-Sulphurdale, Utah 1972-1992, Geothermal Resources Council Transactions, v. 16, p. 89-95.

Klauk, R.H., and Gourley, C., 1983, Geothermal assessment of a portion of the Escalante Valley, Utah: Utah Geological and Mineral Survey Special Studies 63, 57 p. http://ugspub.nr.utah.gov/publications/special studies/SS-63.pdf

Klauk, R.H., and Budding, K.E., 1984a, Geothermal assessment of the lower Bear River drainage and Northern East Shore ground-water areas, Box Elder County, Utah: Utah Geological and Mineral Survey Report of Investigation 186, 49 p., 3 appendices, 2 pts.

http://ugspub.nr.utah.gov/publications/reports_of_investigations/RI-186.pdf

Klauk, R.H., and Darling, R., 1984b, Low-temperature geothermal assessment of the Jordan Valley, Salt Lake County, Utah: Utah Geological and Mineral Survey Report of Investigation 185, 160 p., 5 pts. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-185.pdf

Kohler, J.F., 1979, Geology, characteristics, and resource potential of the low-temperature geothermal system near Midway, Wasatch County, Utah: Utah Geological and Mineral Survey Report of Investigation 142, 64 p. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-142.pdf

Lovering, T.S., and Morris, H.T., 1965, Underground temperatures and heat flow in the East Tintic District, Utah: U.S. Geological Survey Professional Paper 504-F, p. F1 – F27, 5 pts.

Mase, C.W., Chapman, D.S., and Ward, S.H., 1978, Geophysical study of the Monroe-Red Hill geothermal system: University of Utah, Department of Geology and Geophysics Report 77-8, 89 p.

Moran, K.J., 1991, Shallow thermal regime at the Jordanelle dam site, Central Rocky Mountains, Utah: University of Utah, Salt lake City, Utah, MS Thesis, 141 p.

Murphy, P.J., and Gwynn, J.W., 1979A, Geothermal investigations at Crystal Hot Springs, Salt Lake County, Utah: Utah Geological and Mineral Survey Report of Investigation 139, 91 p. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-139.pdf

Murphy, P.J., and Gwynn, J.W., 1979B, Geothermal investigations at selected thermal systems of the northern Wasatch Front, Weber and Box Elder Counties, Utah: Utah Geological and Mineral Survey Report of Investigation 141, 50 p. http://ugspub.nr.utah.gov/publications/reports of investigations/RI-141.pdf

Powell, W.G., and Chapman, D.S., 1990, A detailed study of heat flow at the Fifth Water Site, Utah, in the Basin and Range-Colorado Plateaus transition, Tectonophysics, v. 176, p. 291-314.

Powell, W.G., 1997, Thermal state of the lithosphere in the Colorado Plateau-Basin and Range transition zone, Utah: Salt Lake City, University of Utah Ph.D. dissertation, 232 p.

Puchlick, K., 2009, Temperature-depth data for the Crypto project of Lithic Resources Limited: Vancouver, Canada, unpublished digital data.

Republic Geothermal Inc., 1977, Temperature-gradient holes – Escalante Valley, Utah: Salt Lake City, Utah, Energy and Geoscience Institute unpublished data, unpagenated.

Roy, R.F., Decker, E.R., Blackwell, D.D., and Birch, F., 1968, Heat flow in the United States: Journal of Geophysical Research, v. 73, p. 5207-5221.

Rush, F.E., 1977, Subsurface-temperature data for some wells in western Utah: U.S. Geological Survey Open-File Report 77-132, 36 p.

Sass, J.H., Lachenbruch, A.H., and Smith, E.P., 1983, Temperature profiles from Salt Valley, Utah – thermal conductivity of 10 samples from drill hole DOE 3, and preliminary estimates of heat flow: U.S. Geological Survey Open-File Report 83-455, 21 p. http://pubs.usgs.gov/of/1983/0455/report.pdf.

Sass, J.H., Priest, S.S., Blanton, A.J., Sackett, P.C., Welch, S.L., and Walters, M.A., 1999, Geothermal industry temperature profiles from the Great Basin: U.S. Geological Survey Open-File Report 99-425, online - http://pubs.usgs.gov/of/1999/of99-425/webmaps/home.html.

Shannon, S.S., Jr., Goff, F.E., Rowley, J.C., Pettitt, R.A., and Vuataz, F. D., 1983, Roosevelt hot springs/hot dry rock prospect and evaluation of the Acord 1-26 well: Davis, California, Geothermal Resources Council Transactions, v. 7, p. 541-544.

Sill, W.R., and Bodell, John, 1977, Thermal gradients and heat flow at Roosevelt Hot Springs: University of Utah, Department of Geology and Geophysics Report 77-3, 46 p. http://www.osti.gov/geothermal/servlets/purl/5696712-mBfGBT/native/5696712.pdf

Teplow, W., Maurath, G., and Dellechaie, F., 1982, Geothermal reconnaissance program, January through June (Little Drum – Keg Mountains area): Southern Methodist University Geothermal

Laboratory Western States Geothermal Database, Western Geothermal Reference 2000. http://smu.edu/geothermal/georesou/refhots3.txt

Utah Geological Survey unpublished, undated file data.

Ward, S.H., Parry, W.T., Nash, W.P., Sill, W.R., Cook, K. L., Smith, R. B. Chapman, D. S., Brown, F.H., Whelan, J.A., and Bowman, J.R., 1978, A summary of the geology, geochemistry and geophysics of the Roosevelt Hot Springs thermal area, Utah, Geophysics, 43, 1515-1542. http://dx.doi.org/10.1190/1.1440912